Journal of Applied Microbiology

Edited by

A. F. Godfree

Volume 92, 2002

Copyright © 2002 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

ISSN 1364-5072

Published by
Blackwell Science Ltd (a Blackwell Publishing company)
OXFORD LONDON EDINBURG BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 92, Issue 1, January 2002

1 Instructions for authors

7 A REVIEW: The impact of genomics and related technologies on the search for new antibiotics *A. Allsop & R. Illingworth*

13 *Bradyrhizobium* sp. nodulating the Mediterranean shrub Spanish broom (*Spartium junceum* L.) *P. Quatrini, G. Scaglione, M. Cardinale, F. Caradonna & A.M. Puglia*

22 Mechanisms for enhanced biodegradation of petroleum hydrocarbons by microbe-colonised gas–liquid foam. *M.B. Ripley, A.B. Harrison, W.B. Betts & R.K. Dart*

32 Aerobic and facultatively anaerobic cellulolytic bacteria from the gut of the termite *Zootermopsis angusticollis* *M. Wenzel, I. Schönig, M. Berchtold, P. Kämpfer & H. König*

41 Enhancement of bile tolerance in lactococci by Tween 80 *H. Kimoto, S. Ohmomo & T. Okamoto*

47 Validation of a polymerase chain reaction/restriction enzyme analysis method for species identification of thermophilic campylobacters isolated from domestic and wild animals. *E.O. Engvall, B. Brändström, A. Gunnarsson, T. Mörner, H. Whalström & C. Fermér*

55 Genetic diversity of lactococci and enterococci isolated from home-made Pecorino Sardo ewes' milk cheese *L. Mannu & A. Paba*

63 Characterization of an antibacterial peptide produced by *Brevibacterium linens A.S. Motta & A. Brandelli*

71 Survival of *Listeria monocytogenes* in commercial food-processing equipment cleaning solutions and subsequent sensitivity to sanitizers and heat *P.J. Taormina & L.R. Beuchat*

81 Adaptation of a neutrophilic dairy-associated *Bacillus cereus* isolate to alkaline pH. *D. Lindsay, M.C. Oosthuizen, V.S. Brözel & A. von Holy*

90 Evaluation of the international phage typing set and some experimental phages for typing of *Listeria monocytogenes* from poultry in Spain *R. Capita, C. Alonso-Calleja, L. Mereghetti, B. Moreno & M. del Camino García-Fernández*

97 Evaluation of ribosomal RNA gene restriction patterns for the classification of *Bacillus* species and related genera *K.-B. Joung & J.-C. Côté*

109 Comparison of molecular and antibiotic resistance profile methods for the population analysis of *Bradyrhizobium* spp. (TGx) isolates that nodulate the new TGx soybean cultivars in Africa *R.C. Abaidoo, H.H. Keyser, P.W. Singleton & D. Borthakur*

118 Detection of root mat associated *Agrobacterium* strains from plant material and other types by post-enrichment TaqMan PCR *S.A. Weller & D.E. Stead*

127 Successive rapid reductive dehalogenation and mineralization of pentachlorophenol by the indigenous microflora of farmyard manure compost *C.J. Jaspers, G. Ewbank, A.J. McCarthy & M.J. Penninckx*

134 *mlpB*, a gene encoding a new lipoprotein in *Myxococcus xanthus M. Martinez-Canamero, C. Ortiz-Codorniu, A.L. Extremera, J. Munoz-Dorado & J.M. Arias*

140 Assessment of the fructanolytic activites in the rumen bacterium *Treponema saccharophilum* strain S *A. Kasperowicz & T. Michalowski*

147 Microbial analysis of Malaysian tempeh, and characterization of two bacteriocins produced by isolates of *Enterococcus faecium M.R.F. Moreno, J.J. Leisner, L.K. Tee, C. Ley, S. Radu, G. Rusul, M. Vancanneyt & L. de Vuyst*

158 Monitoring of *Staphylococcus xylosus* DSM 20266 added as starter during fermentation and ripening of soppressata molisana, a typical Italian sausage *S. Di Maria, A.L. Basso, E. Santoro, L. Grazia & R. Coppola*

165 Early detection of spoilage moulds in bread using volatile production patterns and quantitative enzyme assays *G. Keshri, P. Voysey & N. Magan*

173 Isolation and characterization of *Lactococcus piscium* strains from vacuum-packaged refrigerated beef *R.M. Sakala, H. Hayashidani, Y. Kato, C. Kaneuchi & M. Ogawa*

180 Identification of *Salmonella* Enteritidis outer membrane proteins expressed during attachment to human intestinal epithelial cells *A.A. Fadl, K.S. Venkitanarayanan & M.I. Khan*

187 Erratum

Volume 92, Issue 2, February 2002

189 A REVIEW: Strategies for the transformation of filamentous fungi *B. Ruiz-Diez*

196 *Salmonella enterica* serotype Enteritidis phage types 4, 7, 6, 8, 13a, 29 and 34: a comparative analysis of genomic fingerprints from geographically distinct isolates *E. Liebana, L. Garcia-Migura, J. Guard-Petter, S.W.J. McDowell, S. Rankin, H.M. Opitz, F.A. Clifton-Hadley & R.H. Davies*

210 The effect of a sewage treatment plant effluent on the faecal coliforms and enterococci populations of the

reception river waters *X. Vilanova, A. Manero, M. Cerdà-Cuéllar & A.R. Blanch*

215 The amino acid requirements of *Corynebacterium diphtheriae* PW 8 substrain CN 2000 *P.P. Nagarkar, S.D. Ravetkar, & M.G. Watve*

221 Distribution of virulence genes in *Aeromonas* spp. isolated from Sardinian waters and from patients with diarrhoea. *L.A. Sechi, A. Deriu, M.P. Falchi, G. Fadda & S. Zanetti*

228 Colonization of the developing rhizosphere of sugar beet seedlings by potential biocontrol agents applied as seed treatments *R. Walker, S. Rossall & M.J.C. Asher*

238 Use of lacticin 481 to facilitate delivery of the bacteriophage resistance plasmid, pCBG104 to cheese starters *S. Mills, A. Coffey, L. O'Sullivan, D. Stokes, C. Hill, G.F. Fitzgerald & R.P. Ross*

247 Post-harvest biological control by *Pantoea agglomerans* (CPA-2) on Golden Delicious apples *C. Nunes, J. Usall, N. Teixidó, E. Fons & I. Viñas*

256 Metabolism of *Alcaligenes denitrificans* in biofilm *vs* planktonic cells *P. Teixeira & R. Oliveira*

261 Characterization of a cationic surfactant-resistant mutant isolated spontaneously from *Escherichia coli* , *S. Ishikawa, Y. Matsumura, F. Yoshizako & T. Tsuchido*

269 Mild heat treatment of lettuce enhances growth of *Listeria monocytogenes* during subsequent storage at 5°C or 15°C *Y. Li, R.E. Brackett, J. Chen & L.R. Beuchat*

276 Microbial communities in different soil types do not converge after diesel contamination *J.G. Bundy, G.I. Paton & C.D. Campbell*

289 The cloning and characterization of a second α-amylase of *A. hydrophila* JMP636 *S.P. Kidd & J.M. Pemberton*

297 Exopolysaccharide production by *Streptococcus thermophilus* SY: production and preliminary characterization of the polymer *A. Ricciardi, E. Parente, M.A. Crudele, F. Zanetti, G. Scolari & I. Mannazzu*

307 Genotypic and phenotypic characterization of garlic-fermenting lactic acid bacteria isolated from *som-fak*, a Thai low-salt fermented fish product *C. Paludan-Müller, R. Valyasevi, H.H. Huss & L. Gram*

315 Reduction of ferric iron by acidophilic heterotrophic bacteria: evidence for constitutive and inducible enzyme systems in *Acidiphilium* spp. *D.B. Johnson & T.A.M. Bridge*

322 Isolation and preliminary characterization of bacteriocins produced by *Vibrio vulnificus S.D. Shehane & R.K. Sizemore*

329 Effects of temperature, pH, water activity and CO_2 concentration on growth of *Rhizopus oligosporus* NRRL 2710 *R.A. Sparringa, M. Kendall, A. Westby & J.D. Owens*

338 Removal and inactivation of indicator bacteriophages in fresh waters *A.E. Durán, M. Muniesa, X. Méndez, F. Valero, F. Lucena & J. Jofre*

348 Composition of enterococcal and streptococcal flora from pigeon intestines *M. Baele, L.A. Devriese, P. Butaye & F. Haesebrouck*

352 Differential efficacy of a chlorine dioxide-containing sanitizer against single species and binary biofilms of a dairy-associated *Bacillus cereus* and a *Pseudomonas fluorescens* isolate *D. Lindsay, V.S. Brözel, J.F. Mostert & A. von Holy*

362 Mechanisms of killing spores of *Bacillus subtilis* by acid, alkali and ethanol *B. Setlow, C.A. Loshon, P.C. Genest, A.E. Cowan, C. Setlow & P. Setlow*

Volume 92, Issue 3, March 2002

377 OPINION: A role for intestinal mycoplasmas in the aetiology of Crohn's disease? *W.E.W. Roediger & G.T. Macfarlane*

382 Combined effects of water activity, temperature and chemical treatments on the survival of *Salmonella* and *Escherichia coli* O157:H7 on alfalfa seeds *L.R. Beuchat & A.J. Scouten*

396 Inhibition of the adherence of *Escherichia coli* strains to basement membrane by *Lactobacillus crispatus* expressing an S-layer *M. Horie, A. Ishiyama, Y. Fujihira-Ueki, J. Sillanpää, T.K. Korhonen & T. Toba*

404 Acid stress in the food pathogen *Bacillus cereus N. Browne & B.C.A. Dowds*

415 Changes in activity of extracellular enzymes in dual cultures of *Lentinula edodes* and mycoparasitic *Trichoderma* strains *N. Hatvani, L. Kredics, Z. Antal & I. Mécs*

424 Sources of salmonella on broiler carcasses during transportation and processing: modes of contamination and methods of control *J.E.L. Corry, V.M. Allen, W.R. Hudson, M.F. Breslin & R.H. Davies*

433 Culturability, injury and morphological dynamics of thermophilic *Campylobacter* spp. within a laboratory-based aquatic model system *C. Thomas, D. Hill & M. Mabey*

443 Bacteria in heart and lungs of young chicks *J.D. Tankson, J.P. Thaxton & Y. Vizzier-Thaxton*

451 Genetic diversity of vaginal lactobacilli from women in different countries based on 16S rRNA gene sequences *S.I. Pavlova, A.O. Kilic, S.S. Kilic, J.-S. So, M.E. Nader-Macias, J.A. Simoes & L. Tao*

460 Effects of depuration of molluscs experimentally contaminated with *Escherichia coli*, *Vibrio cholerae* O1 and *Vibrio parahaemolyticus L. Croci, E. Suffredini, L. Cozzi & L. Toti*

466 Diversity of *Bacillus thuringiensis* strains from Colombia with insecticidal activity against *Spodoptera frugiperda* (Lepidoptera:Noctuidae) *J.A. Arango, M. Romero & S. Orduz*

475 Cytometric monitoring of growth, sporogenesis and spore cell sorting in *Paenibacillus polymyxa* (formerly *Bacillus polymyxa*) *J. Comas-Riu & J. Vives-Rego*

482 Proteolytic activity of *Staphylococcus xylosus* strains on pork myofibrillar and sarcoplasmic proteins and use of selected strains in the production of "Naples type" salami *G. Mauriello, A. Casaburi & F. Villani*

491 Genetic diversity among *Geotrichum candidum* strains from various substrates studied using RAM and RAPD-PCR *S. Gente, N. Desmasures, J.-M. Panoff & M. Guéguen*

502 Phenotypic diversity of *Campylobacter* isolates from sporadic cases of human enteritis in the UK *D.R.A. Wareing, F.J. Bolton, A.J. Fox, P.A. Wright & D.L.A. Greenway*

510 Development and application of a nested PCR to monitor brood stock salmonid ovarian fluid and spleen for detection of the fish pathogen *Flavobacterium psychrophilum A. Baliarda, D. Faure & M.C. Urdaci*

517 Pyrimidine biosynthesis in *Pseudomonas oleovorans L.E. Haugaard & T.P. West*

526 The detection of *Bifidobacterium adolescentis* by colony hybridization as an indicator of human faecal pollution *P.A. Lynch, B.J. Gilpin, L.W. Sinton & M.G. Savill*

534 Isolation and identification of synthetic pyrethroid-degrading bacteria *R.J. Grant, T.J. Daniell & W.B. Betts*

541 Enrichment of a microbial culture capable of degrading endosulphate, the toxic metabolite of endosulfan *T.D. Sutherland, K.M. Weir, M.J. Lacey, I. Horne, R.J. Russell & J.G. Oakeshott*

549 A quantitative study of the survival of two species of *Candida* on porous and non-porous environmental surfaces and hands *O. Traoré, V.S. Springthorpe & S.A. Sattar*

556 Growth, morphology and surface properties of *Listeria monocytogenes* Scott A and LO28 under saline and acid environments *N. Bereksi, F. Gavini, T. Bénézech & C. Faille*

566 Mechanisms contributing to hypochlorous acid resistance of a *Salmonella* isolate from a poultry-processing plant *R.M. Mokgatla, P.A. Gouws & V.S. Brözel*

574 Thermophilic *Campylobacter* spp. in turkey samples: evaluation of two automated enzyme immunoassays and conventional microbiological techniques *B. Borck, H. Stryhn, A.K. Ersboll & K. Pedersen*

583 Letters to the Editor

Volume 92, Issue 4, April 2002

589 A REVIEW: Malolactic fermentation in wine – beyond deacidification *S.-Q. Liu*

602 Selenium incorporation into *Saccharomyces cerevisiae* cells: a study of different incorporation methods *C.A. Ponce de León, M.M. Bayón, C. Paquin & J.A. Caruso*

611 Production of biogenic amines and divercin V41 in cold smoked salmon inoculated with *Carnobacterium divergens* V41, and specific detection of this strain by multiplex-PCR *N. Connil, H. Prévost & X. Dousset*

618 Factors influencing the susceptibility of Gram-negative bacteria to toluidine blue O-mediated lethal photosensitization *N. Kömerik & M. Wilson*

624 *In vitro* control of growth and fumonisin production by *Fusarium verticillioides* and *F. proliferatum* using antioxidants under different water availability and temperature regimes *M. Etcheverry, A. Torres, M.L. Ramirez, S. Chulze & N. Magan*

633 A reverse transcriptase-polymerase chain reaction assay for detection of viable *Escherichia coli* O157:H7: investigation of specific target genes *S. Yaron & K.R. Matthews*

641 Combining chlorination and chloramination processes for the inhibition of biofilm formation in drinking surface water system models *M.N.B. Momba & M.A. Binda*

649 Concentration of *Cryptosporidium*, microsporidia and other water-borne pathogens by continuous separation channel centrifugation *M.A. Borchardt & S.K. Spencer*

657 Distribution of genotypes of F-specific RNA bacteriophages in human and non-human sources of faecal pollution in South Africa and Spain *M. Schaper, J. Jofre, M. Uys & W.O.K. Grabow*

668 Combined effects of chemical, heat and ultrasound treatments to kill *Salmonella* and *Escherichia coli* O157:H7 on alfalfa seeds *A.J. Scouten & L.R. Beuchat*

675 Studies on the mechanisms of the sporicidal action of *ortho*-phthalaldehyde *R.-M. Cabrera-Martinez, B. Setlow & P. Setlow*

681 Use of a novel method to characterize the response of spores of non-proteolytic *Clostridium botulinum* types B, E and F to a wide range of germinants and conditions *J. Plowman & M.W. Peck*

695 Widespread distribution of the bacteriocin-producing lactic acid cocci in *Miso*-paste products *T. Onda, F. Yanagida, T. Uchimura, M. Tsuji, S. Ogino, T. Shinohara & K. Yokotsuka*

706 Stimulation of *Alexandrium fundyense* growth by bacterial assemblages from the Bay of Fundy *M. Ferrier, J.L. Martin & J.N. Rooney-Varga*

717 *Campylobacter hyointestinalis* subsp. *hyointestinalis*, a common *Campylobacter* species in reindeer

M.-L. Hänninen, L. Sarelli, A. Sukura, S.L.W. On, C.S. Harrington, P. Matero & V. Hirvelä-Koski

724 Evaluation of a selective medium for *Brucella* isolation using natamycin *J.A. Stack, M. Harrison & L.L. Perrett*

729 Antimicrobial susceptibility changes and T-OMP shifts in pyrithione-passaged planktonic cultures of *Pseudomonas aeruginosa* PAO1 *S.M.A. Abdel Malek, I.S.I. Al-Adham, C.L. Winder, T.E.J. Buultjens & K.M.A. Gartland, P.J. Collier*

737 *Yarrowia lipolytica* as a potential producer of citric acid from raw glycerol *S. Papanikolaou, L. Muniglia, I. Chevalot, G. Aggelis & I. Marc*

745 Contents of *cry* genes and insecticidal toxicity of *Bacillus thuringiensis* strains from terrestrial and aquatic habitats *C. Martínez & P. Caballero*

753 Enumeration of *Megasphaera elsdenii* in rumen contents by real-time Taq nuclease assay *D. Ouwerkerk, A.V. Klieve & R.J. Forster*

759 A Note: Gut bacteria produce components of a locust cohesion pheromone *R.J. Dillon, C.T. Vennard & A.K. Charnley*

764 Evolution of extracellular enzyme activities during manure composting *S.M. Tiquia*

776 The influence of nutritional and environmental conditions on the accumulation of poly-β-hydroxybutyrate in *Bacillus mycoides* RLJ B-017 *B. Borah, P.S. Thakur & J.N. Nigam*

784 A rapid method for assessing the suitability of quenching agents for individual biocides as well as combinations *M.D. Johnston, R.J.W. Lambert, G.W. Hanlon & S.P. Denyer*

790 Microbial spoilage and formation of biogenic amines in fresh and thawed modified atmosphere-packed salmon (*Salmo salar*) at 2°C *J. Emborg, B.G. Laursen, T. Rathjen & P. Dalgaard*

Volume 92, Issue 5, May 2002

801 Influence of ciliate protozoa on biochemical changes and hydrolytic enzyme profile in the rumen ecosystem *A. Santra & S.A. Karim*

812 Autolytic phenotype of *Lactococcus lactis* strains isolated from traditional Tunisian dairy products *H. Ouzari, A. Cherif & D. Mora*

821 Differentiation and identification of *Enterococcus durans*, *E. hirae* and *E. villorum L.A. Devriese, M. Vancanneyt, P. Descheemaeker, M. Baele, H.W. Van Landuyt, B. Gordts, P. Butaye, J. Swings & F. Haesebrouck*

828 Microbial quality of wastewater: detection of hepatitis A virus by reverse transcriptase-polymerase chain reaction *G. Morace, F.A. Aulicino, C. Angelozzi, L. Costanzo, F. Donadio & M. Rapicetta*

837 Diversity of chromium-resistant and -reducing bacteria in a chromium-contaminated activated sludge *R. Francisco, M.C. Alpoim & P.V. Morais*

844 The detection and recovery of *Erysipelothrix* spp. in meat and abattoir samples in Western Australia *Q. Wang, S. Fidalgo, B.J. Chang, B.J. Mee & T.V. Riley*

851 Growth studies of potentially probiotic lactic acid bacteria in cereal-based substrates *D. Charalampopoulos, S.S. Pandiella & C. Webb*

860 Inactivation of *Saccharomyces cerevisiae* in solution by low-amperage electric treatment *S. Guillou & N. El Murr*

866 The antibacterial activity of vancomycin towards *Staphylococcus aureus* under aerobic and anaerobic conditions *M.T.E. Suller & D. Lloyd*

873 Effect of package and storage conditions on viability and efficacy of the freeze-dried biocontrol agent *Pantoea agglomerans* strain CPA-2 *E. Costa, J. Usall, N. Teixidó, R. Torres & I. Viñas*

879 *Bacillus megaterium* spore germination is influenced by inoculum size *M.L. Caipo, S. Duffy, L. Zhao & D.W. Schaffner*

885 Achieving hygiene in the domestic kitchen: the effectiveness of commonly used cleaning procedures *T.A. Cogan, J. Slader, S.F. Bloomfield & T.J. Humphrey*

893 Washing and chilling as critical control points in pork slaughter hazard analysis and critical control point (HACCP) systems *D.J. Bolton, R.A. Pearce, J.J. Sheridan, I.S. Blair, D.A. McDowell & D. Harrington*

903 Comparison of adhesion of the food spoilage bacterium *Shewanella putrefaciens* to stainless steel and silver surfaces *M. Hjelm, L.R. Hilbert, P. Møller & L. Gram*

912 Discrimination of *Bacillus cereus* and *Bacillus thuringiensis* with 16S rRNA and *gyrB* gene based PCR primers and sequencing of their annealing sites *M.L. Chen & H.Y. Tsen*

920 Enhancement of solar inactivation of *Escherichia coli* by titanium dioxide photocatalytic oxidation *F.M. Salih*

927 Improvement of *Candida sake* biocontrol activity against post-harvest decay by the addition of ammonium molybdate *C. Nunes, J. Usall, N. Teixidó & I. Viñas*

936 Production of a monoclonal antibody against *Aeromonas hydrophila* and its application to bacterial identification *A.P.L. Delamare, S. Echeverrigaray, K.R. Duarte, L.H. Gomes & S.O.P. Costa*

941 Sensory, chemical and bacteriological changes during storage of iced squid (*Todaropsis eblanae*) *T. Paarup, J.A. Sanchez, A. Moral, H. Christensen, M. Bisgaard & L. Gram*

951 Characterization of yellow-pigmented and motile enterococci isolated from intestines of the garden snail *Helix aspersa P. Švec, L.A Devriese, I. Sedlaček, M. Baele, M. Vancanneyt, F. Haesebrouck, J. Swings & J. Doškař*

958 Metabolism by bifidobacteria and lactic acid bacteria of polysaccharides from wheat and rye, and exopolysaccharides produced by *Lactobacillus sanfranciscensis M. Korakli, M.G. Gänzle & R.F. Vogel*

966 Characterization of lactobacilli towards their use as probiotic adjuncts in poultry *M.A. Ehrmann, P. Kurzak, J. Bauer & R.F. Vogel*

976 The enrichment of a ruminal bacterium (*Megasphaera elsdenii* YJ-4) that produces the *trans*-10, *cis*-12 isomer of conjugated linoleic acid *Y.J. Kim, R.H. Liu, J.L. Rychlik & J.B. Russell*

983 Polymerase chain reaction identification of *Bacillus sporothermodurans* from dairy sources *P. Scheldeman, L. Herman, J. Goris, P. De Vos & M. Heyndrickx*

992 Molecular epidemiology of cystic fibrosis-linked *Burkholderia cepacia* complex isolates from three national referral centres in Ireland *D. Crowley, M. Daly, B. Lucey, P. Shine, J.J. Collins, B. Cryan, J.E. Moore, P. Murphy, G. Buckley & S. Fanning*

1005 The occurrence of malolactic fermentation in brandy base wine and its influence on brandy quality *H.W. du Plessis, C.L.C. Steger, M. du Toit & M.G. Lambrechts*

Volume 92, Issue 6, June 2002

1015 Comparison of the sensitivity of manual and automated immunomagnetic separation methods for detection of Shiga toxin-producing *Escherichia coli* O157:H7 in milk *R.D. Reinders, A. Barna, L.J.A. Lipman & P.G.H. Bijker*

1021 Comparison of ATP and *in vivo* bioluminescence for assessing the efficiency of immunomagnetic sorbents for live *Escherichia coli* O157: H7 cells *W. Sun, F. Khosravi, H. Albrechtsen, L.Y. Brovko & M.W. Griffiths*

1028 D,L-Hydantoinase activity of an *Ochrobactrum anthropi* strain *C. Pozo, B. Rodelas, S. de la Escalera & J. González López*

1035 Plasma membrane injury induced by nonyl gallate in *Saccharomyces cerevisiae K. Fujita & I. Kubo*

1043 Comparison of chickpea rhizobia isolates from diverse Portuguese natural populations based on symbiotic effectiveness and DNA fingerprint *M. Laranjo, C. Branco, R. Soares, L. Alho, M.D.E. Carvalho & S. Oliveira*

1051 Carton sterilization by u.v.-C excimer laser light: recovery of *Bacillus subtilis* spores on vegetable extracts and food stimulation matrices *K. Warriner, J. Kolstad, P. Rumsby & W.M. Waites*

1058 Survival and naphthalene-degrading activity of *Rhodococcus* sp. strain 1BN in soil microcosms *L. Cavalca, M. Colombo, S. Larcher, C. Gigliotti, E. Collina & V. Andreoni*

1066 An investigation into the changed physiological state of *Vibrio* bacteria as a survival mechanism in response to cold temperatures and studies on their sensitivity to heating and freezing *M.D. Johnston & M.H. Brown*

1078 Biological control of cucumber and sugar beet damping-off caused by *Pythium ultimum* with bacterial and fungal antagonists *D.G. Georgakopoulos, P. Fiddaman, C. Leifert & N.E Malathrakis*

1087 Relevance of incubation temperature for *Vibrio salmonicida* vaccine production *D.J. Colquhoun, K. Alvheim, K. Dommarsnes, C. Syvertsen & H. Sorum*

1097 The effect of toluidine blue on the survival, dormancy and outer membrane porin proteins (OmpC and OmpF) of *Salmonella typhimurium* LT2 in seawater *R. Ozkanca, N. Sahin, K. Isik, E. Kariptas & K.P. Flint*

1105 Analysis of the properties of spores of *Bacillus subtilis* prepared at different temperatures *E. Melly, P.C. Genest, M.E. Gilmore, S. Little, D.L. Popham, A. Driks & P. Setlow*

1116 Novel intercellular communication system in *Escherichia coli* that confers antibiotic resistance between physically separated populations *R.D. Heal & A.T. Parsons*

1123 Occurrence of pathogenic vibrios in coastal areas of France *D. Hervio-Heath, R.R. Colwell, A. Derrien, A. Robert-Pillot, J.M. Fournier & M. Pommepuy*

1136 Purification and properties of a histidine decarboxylase from *Tetragenococcus muriaticus*, a halophilic lactic acid bacterium *Y. Konagaya, B. Kimura, M. Ishida & T. Fujii*

1143 Strategies for evaluating the sanitary quality of composting *K.K. Christensen, M. Carlsbk & E. Kron*

1159 Recombinant *Lactococcus* starters as a potential source of additional peptidolytic activity in cheese ripening *V. Joutsjoki, S. Luoma, M. Tamminen, M. Kilpi, E. Johansen & A. Palva*

1167 Genetic diversity of *Salmonella enterica* serovar Paratyphi A from different geographical regions in Asia *Y.-L. Goh, S.D. Puthucheary, R. Chaudhry, Z.A. Bhutta, M. Lesmana, B.A. Oyofo, N.H. Punjabi, A. Ahmed & K.-L. Thong*

1172 Occurrence of *Staphylococcus* and enteropathogens in soft cheese commercialized in the city of Rio de Janeiro, Brazil *V.S. Araújo, V.A. Pagliares, M.L.P. Queiroz & A.C. Freitas-Almeida*

1179 Index